

# DOMINO Series - IP66

Surface mounting enclosure

## ENCLOSURE

	Module	DIN modules (17,5mm)	Dimensions hxbxp (mm)	Dissipated power (*)	Pack/Quantity	Socket	Cat. No.
	M340	8	340x184x140	14W	1/10	2 (■)	Ⓢ 672.2300
	M400	12	400x256x140	22W	1/6	1 (▲)	Ⓢ 672.3302
	M400	12	400x256x140	22W	1/6	2 (●)	Ⓢ 672.3300
	M400	16	400x328x140	28W	1/4	3 (●)	Ⓢ 672.4316
	M550	16	550x328x140	28W	1/3	6 (●)	Ⓢ 672.5616
	M550	24	550x477x140	28W	1/2	8 (●)	672.5822

Ⓢ Pack/Quantity (\*) According to CEI 23-49 Italian standard.









(■) 16A (70x87mm).


(●) 16A (70x87mm) or, with suitable adaption, 32A socket (84x106mm).


(▲) 63A (100x110mm).

 PANEL FLAN GE  
70x87

## CONSUMER UNITS

	Module	DIN modules (17,5mm)	Dimensions hxbxp (mm)	Dissipated power (*)		Socket	Cat. No.
	M400	16	400x328x140	28W	1/4	2	 672.4216
	M550	16	550x328x140	28W	1/3	3	 672.5316 (Δ)
	M550	16	550x328x140	28W	1/3	4	 672.5416













 Pack/Quantity      (\*) According to CEI 23-49 Italian standard.  
 (Δ) With cutouts to contain 2 OMNIA Series 16A or 32A and 1 OMNIA Series 63A.


 PANEL FLANGE 136x125  
 Connection device to be fixed in the upper side.

## DOMINO Series - IP66

Surface mounting consumer units

## CONSUMER UNITS





	Module	DIN modules (17,5mm)	Dimensions hxbxp (mm)	Dissipated power (*)		Cat. No.
	M135	2	135x76x102	6W	1/24	 672.2002
	M190	4	190x112x106	10W	1/16	 672.2004
	M190	8	190x184x106	14W	1/10	 672.2008
	M250	12	250x256x140	22W	1/9	 672.2012
	M250	16	250x328x140	28W	1/6	 672.2016

 Pack/Quantity

# BLOCK Series - IP66

surface mounting enclosure

## ENCLOSURE

	Description	DIN modules	Dimensions (mm)	Dissipated power (*)	Pack/Quantity	Socket outlets	Cat. No.
	BLOCK1	4	110x280x95	8W	1	1	⊕ 632.1500-000
	BLOCK3	6	136x440x105	9W	1	3	⊕ 632.3500-000
	BLOCK4	11	212x415x105	14W	1	4	⊕ 632.4500-000
	BLOCK5	14	272x414x110	15W	1	5	632.5500-000

⊕ Pack/Quantity

(\*) According to CEI 23-49 Italian standard.


(■) Cut-outs suitable for 32A socket outlets with 84x106 mm flange.

(x) Does not accept COMMAND 63A Series Switches and higher.

(\*) 70x87 mm cut-outs.

⊕ PANEL FLANGE  
70x87

## ACCESSORIES

	Description	Flange	Pack/Quantity	Cat. No.
	Plate for panel cut-outs	70x87	25	654.0100

⊕ Pack/Quantity