



L&T Switchgear*
Business

IS NOW



Electrical & Automation

Retail Products Price List

*Maximum Retail Price Effective
from 01-02-2025*

*Under license from Larsen & Toubro Limited. | *Trademark of Schneider Electric Denmark A/S.

Contents

Pg No
03



Pg No
04-19



Tripper

Pg No
22-33




englaze

Pg No
34-45



entice

Pg No
46-51



enGem

Pg No
53



ORIS

DY125U MCCB



Key Features

- Conforms to IS/IEC 60947-2, IEC 60947-2 & EN 60947-2
- Range: 32A to 125A, 3P/4P
- $I_{cs}=100\%$ of I_{cu}
- High Electrical & Mechanical life
- Thermal Magnetic Release
- No Load-Line Bias
- ON-TRIP-OFF indication
- Suitable for Isolation

Std Packing of all Cat nos – 1 no
FTFM – Fix Thermal Fix Magnetic

* These cat no supplied with Spreader links inside box

3 POLE MCCB

Description	Current Rating (A)	Cat No	MRP/Unit in ₹
MCCB DY125U 32A 3P 10kA FTFM	32	EM9098300EO	2400
MCCB DY125U 63A 3P 10kA FTFM	63	EM9098300HO	2330
MCCB DY125U 80A 3P 10kA FTFM + Sprd*	80	EM9098300JO	2630
MCCB DY125U 100A 3P 10kA FTFM + Sprd*	100	EM9098300KO	2630
MCCB DY125U 125A 3P 10kA FTFM + Sprd*	125	EM9098300LO	3850

4 POLE MCCB

Description	Current Rating (A)	Cat No	MRP/Unit in ₹
MCCB DY125U 32A 4P 10kA FTFM	32	EM9098400EO	3220
MCCB DY125U 63A 4P 10kA FTFM	63	EM9098400HO	3130
MCCB DY125U 80A 4P 10kA FTFM + Sprd*	80	EM9098400JO	3620
MCCB DY125U 100A 4P 10kA FTFM + Sprd*	100	EM9098400KO	3620
MCCB DY125U 125A 4P 10kA FTFM + Sprd*	125	EM9098400LO	4750

ACCESSORIES

Description	Std Pack	Cat No	MRP/Unit in ₹
SPREADER TERMINALS- 3P -DY125U	Set of 6	CM977850000	470
SPREADER TERMINALS- 4P -DY125U	Set of 8	CM979210000	740
Auxiliary/Trip Alarm Contact- 1 C/o - DY125U	1	EM909660000	747
Shunt Release- 110V/240V/415V AC - DY125U	1	EM905200M00	1004
DIRECT ROH- DY125U	1	EM909690000	1500
EXTENDED ROH- DY125U	1	EM909700000	2200
Under Voltage Release - 240V AC- DY125U	1	EM90518B000	3050
Size I ENCLOSURE FOR MCCBs	1	CM909960000	2450

***Trip*  *per*®**
FINAL DISTRIBUTION PRODUCTS






World Class Safety Standards

Tripper products conform to relevant global standards viz., IEC, EN and IS. They also have CE/ISI marking and DEKRA certification.



Safety Redefined

Finger proof terminals eliminate chances of accidental contact with live parts. You can install, operate and maintain tripper with total confidence.



Energy Limiting Class - 3

If fault occurs, the rapid arc quenching mechanism operates and extinguishes the arc quickly, ensuring lowest possible energy flow through the circuit. This minimizes risk of fire and maximizes life of your equipment.



Safety Meets Superior Aesthetics

Ergonomically designed, profiled for superior cooling and manufactured with fire retardant material. Tripper offers user safety combined with elegance.



True Contact Indication

Tripper range enhances safety through true contact indication even from a distance regardless of it's knob position. Red and Green indication flag positively identifies the electrical ON/OFF status.



Innovatively Profiled Breathing Channels

When two or more poles are placed adjacent to each other, the breathing channels are so profiled that the air circulates around individual pole, resulting in cooler operation, year after year.




Large Terminal Size & Biconnect

Tripper can easily accommodate cables of up to 35 sq.mm. Biconnect terminals offer convenience of connecting both cable and bus bar.




Two Position DIN Rail Clip

Installation on a DIN rail is further simplified with a two position DIN rail clip as a standard feature. Tripper range makes mounting on a standard DIN rail more convenient.



Non-Welding Contacts

Silver Graphite contact tips ensure higher life and maximum safety against contact welding due to it's superior anti-welding properties, enhancing safety and life of the system.



Combihead Screw

Tripper range of products provided with combihead screws allow you to use standard as well as Phillips screwdrivers, offering flexibility.



HIGHLIGHTS

- marked, marked
- Conforms to IS/IEC 60898 - 6 kA
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Energy saving - watt loss approximately 50% lower than those prescribed by IEC standard
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



Single Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - B CURVE

Description	Single Pole	
	Cat No	MRP/Unit in ₹
6A B Curve	BA10060B	209
10A B Curve	BA10100B	209
16A B Curve	BA10160B	209
20A B Curve	BA10200B	209
25A B Curve	BA10250B	209
32A B Curve	BA10320B	209
40A B Curve	BA10400B	495



Single Pole

Double Pole

Three Pole

Four Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - C CURVE

Description	Single Pole		Double Pole		Three Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
6A C Curve	BA10060C	209	BA20060C	765	BA30060C	1280	BA40060C	1685
10A C Curve	BA10100C	209	BA20100C	765	BA30100C	1280	BA40100C	1685
16A C Curve	BA10160C	209	BA20160C	765	BA30160C	1280	BA40160C	1685
20A C Curve	BA10200C	209	BA20200C	765	BA30200C	1280	BA40200C	1685
25A C Curve	BA10250C	209	BA20250C	765	BA30250C	1280	BA40250C	1685
32A C Curve	BA10320C	209	BA20320C	765	BA30320C	1280	BA40320C	1685
40A C Curve	BA10400C	495	BA20400C	1130	BA30400C	1840	BA40400C	2240
63A C Curve	BA10630C	550	BA20630C	1255	BA30630C	1975	BA40630C	2400

Note: Standard Pack Quantity for MCB: SP - 12 Nos., DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640 - 1, IEC 61008-1
- Available in DP & FP versions from 25A to 63A ratings with 30mA, 100mA & 300mA sensitivity
- Operates on Core Balance Current Transformer (CBCT) principle
- Finger proof IP20 terminals



Double Pole



Four Pole

RESIDUAL CURRENT CIRCUIT BREAKERS/EARTH LEAKAGE CIRCUIT BREAKERS (RCCBs/ELCBs)

Description	Double Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
25A 30mA	BC202503	2740	BC402503	3595
25A 100mA	BC202510	2835	BC402510	3660
25A 300mA	BC202530	2835	BC402530	3660
40A 30mA	BC204003	3025	BC404003	3650
40A 100mA	BC204010	3060	BC404010	3725
40A 300mA	BC204030	3060	BC404030	3725
63A 30mA	BC206303	3865	BC406303	4060
63A 100mA	BC206310	3915	BC406310	4120
63A 300mA	BC206330	3915	BC406330	4120

HIGHLIGHTS

- marked
- Conforms to IEC 60947 - 3
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



Double Pole

Three Pole



Four Pole

ISOLATORS

Description	Double Pole		Three Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
40A Isolator	BE204000	490	BE304000	850	BE404000	1095
63A Isolator	BE206300	610	BE306300	970	BE406300	1135
100A Isolator	BE210000	830	BE310000	1150	BE410000	1375

Note: Standard Pack Quantity for Isolator : DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.



HIGHLIGHTS

- CE marked
- Conforms to IEC 60947-6, IEC 60947-3
- Wide Range of Current Ratings
 - Generator Side - 1.5A to 30A
 - Electricity Board Side - 30A
- No. of Poles 1P+N, for single phase applications
- Protection Degree - IP20
- Reliable microcontroller based design for sensing & control
- Lower power consumption
- RoHS compliant



ACCL



AUTOMATIC CHANGEOVER WITH CURRENT LIMITER(ACCL)

Description EB/DG	Modules	Cat No	MRP/Unit in ₹
30A/1.5A	4	BCL010301E5	2125
30A/2.5A	4	BCL010302E5	2125
30A/3A	4	BCL01030003	2125
30A/4A	4	BCL01030004	2125
30A/5A	4	BCL01030005	2125
30A/6A	4	BCL01030006	2125
30A/8A	4	BCL01030008	2125
30A/10A	4	BCL01030010	2125
30A/12A	4	BCL01030012	2125
30A/15A	4	BCL01030015	2125
30A/20A	4	BCL01030020	2125
30A/30A [#]	4	BCL01030030	2125

[#]Non current limiting variant

HIGHLIGHTS

- Conforms to IEC 60947-3
- Available with 3 positions (I-O-II) with centre off position
- Utilization category AC-22A



Double Pole

Four Pole

MODULAR CHANGEOVER SWITCHES

Double Pole				Four Pole			
Description	Modules	Cat No	MRP/Unit in ₹	Description	Modules	Cat No	MRP/Unit in ₹
25A	2	AUC00202500	1710	40A	4	AUC00404000	4505
40A	2	AUC00204000	2615	63A	6	AUC00406300	5110
63A	3	AUC00206300	3045				



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640-2, IEC 61009-1
- Combination of ELCB & MCB (EL+MCB) offers 3 in 1 protection against - overload, short circuit and earth leakage
- Easy fault identification -
 1. Over current fault : MCB side knob trips
 2. Leakage current fault : Both MCB and ELCB side knobs trip



Double Pole



Four Pole

Note: Standard Pack Quantity for EL+MCB: DP - 8 Nos., FP - 6 Nos.



EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Description	Double Pole				
	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 2P EL+MCB	CB9000100TO	4170	CB9000300TO	CB9000500TO	4325
10A 2P EL+MCB	CB9000100VO	4170	CB9000300VO	CB9000500VO	4325
16A 2P EL+MCB	CB9000100BO	4170	CB9000300BO	CB9000500BO	4325
20A 2P EL+MCB	CB9000100CO	4170	CB9000300CO	CB9000500CO	4325
25A 2P EL+MCB	CB9000100DO	4170	CB9000300DO	CB9000500DO	4325
32A 2P EL+MCB	CB9000100EO	4685	CB9000300EO	CB9000500EO	4595
40A 2P EL+MCB	CB9000100FO	4685	CB9000300FO	CB9000500FO	4595
63A 2P EL+MCB	CB9000100HO	5750	CB9000300HO	CB9000500HO	5485

EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Description	Four Pole				
	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 4P EL+MCB	CB9000200TO	4950	CB9000400TO	CB9000600TO	4840
10A 4P EL+MCB	CB9000200VO	4950	CB9000400VO	CB9000600VO	4840
16A 4P EL+MCB	CB9000200BO	4950	CB9000400BO	CB9000600BO	4840
20A 4P EL+MCB	CB9000200CO	4950	CB9000400CO	CB9000600CO	4840
25A 4P EL+MCB	CB9000200DO	4950	CB9000400DO	CB9000600DO	4840
32A 4P EL+MCB	CB9000200EO	5340	CB9000400EO	CB9000600EO	5095
40A 4P EL+MCB	CB9000200FO	5340	CB9000400FO	CB9000600FO	5095
63A 4P EL+MCB	CB9000200HO	6330	CB9000400HO	CB9000600HO	5910



For Modern Homes: Safety and Style Combined



Detachable gland plate for easy wire insertion.

Hidden hinges give a superior look.

Spacious DB size enables a higher standard of safety and ease of wiring.

Copper shorting links and wires (16 sq mm) for internal wiring.

Curved door ensures a stylish touch.

Hardware coated with aluminum zinc flake for a rust-free life.

Over-the-frame design provides higher protection.

Uniform gasketing ensures ingress protection.

Effective earthing ensures complete safety.

Enhance your wall with Tripbox NXT range of Distribution Boards which combines minimalistic aesthetics, enhances ambience & understated presence to harmonize perfectly with your décor.

SPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing

TPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing

SPN DISTRIBUTION BOARDS

NEW

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	DTSPN004DD	1705	DTSPN004GD	2245
6-Way	2	4	DTSPN006DD	2000	DTSPN006GD	2400
8-Way	2	6	DTSPN008DD	2125	DTSPN008GD	2620
12-Way	2	10	DTSPN012DD	2555	DTSPN012GD	3180
16-Way	2	14	DTSPN016DD	3200	DTSPN016GD	3930

TPN DISTRIBUTION BOARDS

NEW

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	DTTPN004DD	4220	DTTPN004GD	5510
6-Way	8	6+6+6	DTTPN006DD	5265	DTTPN006GD	6835
8-Way	8	8+8+8	DTTPN008DD	6295	DTTPN008GD	8175
12-Way	8	12+12+12	DTTPN012DD	9365	DTTPN012GD	12515

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

NEW

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	DTHPI004DD	6980
6-Way	8	2+2+2	6+6+6	DTHPI006DD	8365
8-Way	8	2+2+2	8+8+8	DTHPI008DD	9975
12-Way	8	2+2+2	12+12+12	DTHPI012DD	13590

PHASE SEGREGATED DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing

VTPN DBs WITH MODULAR INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing

VTPN DBs WITH MCCB INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U

PHASE SEGREGATED DBs

NEW

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	DTPSG004DD	10995
6-Way	8	4+4+4	6+6+6	DTPSG006DD	12415
8-Way	8	4+4+4	8+8+8	DTPSG008DD	13860
12-Way	8	4+4+4	12+12+12	DTPSG012DD	17490

VTPN DBs WITH MODULAR INCOMER

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	DTVTM004DD	10110
6-Way	8	6+6+6	DTVTM006DD	11620
8-Way	8	8+8+8	DTVTM008DD	13485
12-Way	8	12+12+12	DTVTM012DD	17845

VTPN DBs WITH MCCB INCOMER

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	DTVTL004DD	12065
6-Way	MCCB	6+6+6	DTVTL006DD	14120
8-Way	MCCB	8+8+8	DTVTL008DD	15335
12-Way	MCCB	12+12+12	DTVTL012DD	19830

ENCLOSURES

- As per IS 8623
- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices

ENCLOSURES

NEW

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	DTENC002SD	500
3-Way	3	DTENC003SD	560
4-Way	4	DTENC004SD	560
6-Way	6	DTENC006SD	845

PLUG & SOCKET DBs

- As per IS 8623
- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs

PLUG & SOCKET DBs

NEW

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	DTMPS110SD	1270
20A, 2 Pin+SC^	P+N	1	DTMPS120SD	1355
20A, 2 Pin+SC^	P+N	2	DTMPS220SD	1480
32A, 3 Pin+SC^	3P	3	DTMPS332SD	3505

SC^ - Scrapping Earth

METAL PLUG & SOCKET

- Designed to ensure safe functioning of electrical equipment and the user safety
- Plugs & Sockets find its applications at air conditioners, welding machines, industrial equipment, etc., are made of non corrosive aluminum alloy
- Conforms to IS 8804

METAL PLUG & SOCKET

Description	No. of Pins	Cat No	MRP/Unit in ₹
Metal Plug			
10A, 2 Pin+SC^	P+N	MPS210P	200
20A, 2 Pin+SC^	P+N	MPS220P	210
20A, 3 Pin+SC^	3P	MPS320P	275
32A, 3 Pin+SC^	3P	MPS332P	525
Metal Socket			
10A, 2 Pin+SC^	P+N	MPS210S	205
20A, 2 Pin+SC^	P+N	MPS220S	225
20A, 3 Pin+SC^	3P	MPS320S	310
32A, 3 Pin+SC^	3P	MPS332S	525

SC^ - Scrapping Earth

Note: Standard Pack Quantity for Metal Plug & Socket - 20 Nos.

VALUE + STYLE

The Tripbox PLUS range of Distribution Boards offer the perfect blend of aesthetics and value. Crafted for modern homes, its features ensure ease of installation, enhanced safety and protection with a dash of style.



SAFETY WITH STYLE

Options for flush and surface mounting

Powder - coated, matte finish - RAL9003

Insulated Busbar



As per IS 8623 Standards

Shrouded neutral bars to avoid accidental contact with live parts



EASE OF INSTALLATION

Reversible door for double door Distribution Boards to adapt to site conditions



More space for ease of wiring



PROTECTION FROM DAMAGE

CRCA sheet steel for extra durability

Plastic corners for corner protection



Cement spill protector - To protect DB interior from cement splashes during civil work



SPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoings



SPN DISTRIBUTION BOARDS*

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	PH104DDB	1705	PH104DDG	2245
6-Way	2	4	PH106DDB	2000	PH106DDG	2400
8-Way	2	6	PH108DDB	2125	PH108DDG	2620
12-Way	2	10	PH112DDB	2555	PH112DDG	3180
16-Way	2	14	PH116DDB	3200	PH116DDG	3930

TPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoings



TPN DISTRIBUTION BOARDS*

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	PH304DDB	4220	PH304DDG	5510
6-Way	8	6+6+6	PH306DDB	5265	PH306DDG	6835
8-Way	8	8+8+8	PH308DDB	6295	PH308DDG	8175
12-Way	8	12+12+12	PH312DDB	9365	PH312DDG	12515

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoings



HORIZONTAL PPI (PER PHASE ISOLATION) DBs*

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	PHP304DDB	6980
6-Way	8	2+2+2	6+6+6	PHP306DDB	8365
8-Way	8	2+2+2	8+8+8	PHP308DDB	9975
12-Way	8	2+2+2	12+12+12	PHP312DDB	13590

*These DBs are available till stock last.

PHASE SEGREGATED DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



Double Door

PHASE SEGREGATED DBs*

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	PHS304DDB	10995
6-Way	8	4+4+4	6+6+6	PHS306DDB	12415
8-Way	8	4+4+4	8+8+8	PHS308DDB	13860
12-Way	8	4+4+4	12+12+12	PHS312DDB	17490

PHASE SELECTOR DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



Double Door

PHASE SELECTOR DBs*

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHC04DDB	13795
6-Way	8	6+6+6	PHC06DDB	14125
8-Way	8	8+8+8	PHC08DDB	14980
12-Way	8	12+12+12	PHC12DDB	16805

VTPN DBs WITH MODULAR INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing



Double Door

VTPN DBs WITH MODULAR INCOMER*

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHV304DDB	10110
6-Way	8	6+6+6	PHV306DDB	11620
8-Way	8	8+8+8	PHV308DDB	13485
12-Way	8	12+12+12	PHV312DDB	17845

VTPN DBs WITH MCCB INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U



Double Door

VTPN DBs WITH MCCB INCOMER*

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	PHV304DYM	12065
6-Way	MCCB	6+6+6	PHV306DYM	14120
8-Way	MCCB	8+8+8	PHV308DYM	15335
12-Way	MCCB	12+12+12	PHV312DYM	19830

*These DBs are available till stock last.

ENCLOSURES

- As per IS 8623
- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices



Single Door

ENCLOSURES*

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	PHE02DB	500
3-Way	3	PHE03DB	560
4-Way	4	PHE04DB	560
6-Way	6	PHE06DB	845

PLUG & SOCKET DBs

- As per IS 8623
- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs



Single Door

PLUG & SOCKET DBs*

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	PMP110DB	1270
20A, 2 Pin+SC^	P+N	1	PMP120DB	1355
20A, 2 Pin+SC^	P+N	2	PMP220DB	1480
32A, 3 Pin+SC^	3P	3	PMP332DB	3505

SC^ - Scrapping Earth

*These DBs are available till stock last.




Single Door

Double Door

HIGHLIGHTS

- Ready to use DBs, complete with colour - coded wire set, 100A bus bar, Neutral bar/s & Earth bar/s
- Superior quality powder coating for better looks and longer life
- DB is suitable for surface or flush mounting



Double Door



Double Door

SINGLE PHASE NEUTRAL (SPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	2	2	BH104SDB	950	BH104DDB	1520
6 way	2	4	BH106SDB	1045	BH106DDB	1710
8 way	2	6	BH108SDB	1180	BH108DDB	1865
12 way	2	10	BH112SDB	1570	BH112DDB	2275
16 way	2	14	BH116SDB	1955	BH116DDB	2800

THREE PHASE NEUTRAL (TPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	8	4+4+4	BH304SDB	2945	BH304DDB	3805
6 way	8	6+6+6	BH306SDB	3640	BH306DDB	4675
8 way	8	8+8+8	BH308SDB	4205	BH308DDB	5670
12 way	8	12+12+12	BH312SDB	5965	BH312DDB	8155

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	8	4+4+4	BHC04DDB	11980
6 way	8	6+6+6	BHC06DDB	12510

Provided with 40A selector switches



L&T Switchgear*
Business

IS NOW



Electrical & Automation

We make more than switches.
We make your moments.



enConnect[®]
— POWERED BY LAURITZ KNUDSEN —

enConnect - Smart Home Automation
from Lauritz Knudsen #MadeForMoments

*Under license from Larsen & Toubro Limited. | *Trademark of Schneider Electric Denmark A/S.

Enconnect – Key Features

Easy and simple installation

No need to change any existing wiring or mounting boxes. No Getway required.

Modular and retrofit solution

Modular design enables ease of interchange or replacement of individual devices.

Aesthetics

Select variety of aesthetics with englage cover plates as per choice

Robust ecosystem

Our state of the art manufacturing process ensures seamless performance to our customers in terms of connectivity and communication.

Reliability

All products designed to comply with international standards and are tested for more than 2 lakh operations.

Operate through Touch, App and Voice command

Offers a choice of interaction through capacitive feather touch, alexa or google voice assistant or a dedicated mobile application.

Quick and Smooth Configuration

Wi-fi Direct/BLE ensure Hussy-free on-boarding of devices on mobile application.



Control your home from anywhere

Our reliable cloud server enables to talk to your devices while you are away from home.

Set schedules and scenes

Automate your daily routines and Unlimited scenes with ease.

Memory Retention

Retain the status of the loads upon power restoration

Data and Cybersecurity

Our secure cloud server – Azure, ensures data protection from any cyber threat, providing you a complete peace of mind

Customized light intensity

Customer can choose light intensity on the product soothing to their eyes.

Wide range of applications

enConnect solution offers range of features including switching, monitoring, controlling, scheduling and customizing the home ambience.

enConnect[®]



Prices available on request





L&T Switchgear*
Business

IS NOW



Electrical & Automation

We make more than switches.
We make your moments.



englaze

— POWERED BY LAURITZ KNUDSEN —

englaze - Luxurious and innovative switches
from Lauritz Knudsen #MadeForMoments

*Under license from Larsen & Toubro Limited. | *Trademark of Schneider Electric Denmark A/S.



ANTI-BACTERIAL

No need to keep disinfecting your switches. No one can tarnish the silver infused Englaze range that stays anti-bacterial forever.



FABULOUSLY FLAT LOOK

Englaze is designed to look flat from every angle. With super thin plates and carefully crafted switches, these don't bulge or clutter, they just stay pretty.



SMART CONNECTORS

Don't go searching for adapters now, plug in everything directly with smart connectors. HDMI, VGA, RCA, USB for data & charging and just about everything you need.



REAL MATERIAL PLATES

Real Material Plates are meticulously crafted from authentic, high-quality materials such as genuine wood, metal alloys and premium glass. Choose from various finishes, textures, and colours to create a truly personalized statement.



BEAUTIFULLY BRIDGELESS

Our design philosophy allows no room for gaps. Every element seamlessly flows into the next like a well written poem.



SAFETY SHUTTERS

Go ahead and let your children be mischievous. Every socket is carefully designed with safety shutters to keep them safe.



INDICATIVE REGULATORS

Don't worry about fumbling with the regulators anymore, these beauties come with indicators that tell you exactly what speed its on. Plus, its so pretty!



TESTED FOR INTERNATIONAL STANDARD

Your safety is our top priority. englaze products undergo rigorous testing to meet safety standards, ensuring your peace of mind while using them in your home or workspace.




SOFT FEEL SWITCHES

Welcome home the silent beauty. Nothing can disturb you, not even a toggling of switches with englaze soft feel switches.



QUICK CHARGING

No need to wait any longer to charge your devices. With USB type A and USB type C charging solutions you can charge your devices faster and safer.



TOUCH THE FUTURE

No need to get out of the middle of the great conversations to turn the devices on/off. Now control your devices with IR remote control and feather Touch interface with a luxurious experience.




FLAT DESIGN FAN REGULATOR

Flat Fan regulator design concept to compliment the flat design philosophy of englaze range.



KEY FEATURES: TOUCH SWITCHES

- Modular type Touch Switches range suitable for all englaze plates
- Hassle free installation – No need to change any wiring & mounting boxes
- Easy to locate in dark
- Highly reliable and Durable
- Conforms to international standard IEC-60669 Part 1 & 2
- Range covers Switching, Controls & Hospitality functions
- Black Glass and Mountain grey options to suit home décor



KEY FEATURES: IR REMOTE

- Sit and operate-32 Switch control
- Set your favourite scene-8 different scenes in a click
- Avoid unwanted trigger-Child Lock
- Peace of Mind - Memory function on power resume
- Master Switch-Master On/Off in a click



MODULAR IR TOUCH SWITCHES - Suitable for englaze plates



CB980715M09

CB980645M02

CB980695M07



CB98031FK05

CB98038HK12

CB98037HK11

Mountain Grey



Black Glass




Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹
Touch IR Switch 1 Channel 2M	1	CB98065SM03	5800	CB98029SK03	6000
Touch IR Switch 2 Channel 2M	1	CB98064SM02	6200	CB98028SK02	6400
Touch IR Switch 4 Channel 2M	1	CB98063SM01	6800	CB98027SK01	7000
Touch IR Switch 2 way 2M	1	CB98066SM04	6200	CB98030SK04	6400
Touch IR Fan Regulator 8-Step 2M	1	CB98067FM05	7200	CB98031FK05	7400
Touch IR Light Dimmer 2M*	1	CB98068DM06	7500	CB98032DK06	7700
Touch IR Switch 20 A 2M	1	CB98069SM07	6500	CB98033SK07	6700
Touch Bell Push 2M	1	CB98070BM08	5800	CB98034BK08	6000
Touch IR 1 Bell P + 3Ch Switch 2M	1	CB980715M09	7000	CB98035SK09	7200
Touch IR Curtain Control 2M	1	CB98072SM10	6500	CB98036SK10	6700
Touch IR DND/MMR Inside Unit 2M	1	CB98073HM11	6000	CB98037HK11	6200
Touch IR DND/MMR Outside Unit 2M	1	CB98074HM12	6500	CB98038HK12	6700

IR Remote Control - Black 1 CB98T02RM13 1400


New englaze Touch Bell Push Sparkle Black 1 CB98070BB08 5800

COMPLETE RANGE


I SWITCHES




SWITCH: 4CH




SWITCH: 2CH




SWITCH: 1CH




SWITCH: 2-WAY




SWITCH: BELL PUSH




SWITCH: 1BP+3CH




SWITCH: 20 A





CURTAIN CONTROL



LIGHT DIMMER



FAN REGULATOR


DND-MMR:
OUT-SIDE ROOM UNIT

DND-MMR:
IN-SIDE ROOM UNIT

*Suitable for Incandescent and Halogen light only

I CONTROLS

I HOSPITALITY

SOFT FEEL SWITCHES - 1 MODULE WITH


NEW



Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	CB92601SW10	205	CB92601SM10	234	CB92601SB10	234
Switch 10AX 1-way with Indicator 1M	20	CB92801SW10	391	CB92801SM10	491	CB92801SB10	491
Switch 10AX 2-way 1M	20	CB92701SW10	373	CB92701SM10	464	CB92701SB10	464
Switch 16AX 1-way 1M	20	CB92601SW16	396	CB92601SM16	494	CB92601SB16	494
Switch 16AX 1-way with Indicator 1M	20	CB92801SW16	475	CB92801SM16	595	CB92801SB16	595
Switch 16AX 2-way 1M	20	CB92701SW16	475	CB92701SM16	595	CB92701SB16	595
Switch 25A 1-way 1M	20	CB92601SW25	546	CB92601SM25	678	CB92601SB25	678
Switch 25A 1-way with Indicator 1M	20	CB92801SW25	660	CB92801SM25	825	CB92801SB25	825

KEY FEATURES

- Designed For Silent Operation
- Soft Feel Switches
- Flat Aesthetic
- Robust Design For Longer Life
- Double rocker system for smooth operations
- 4 part design to reduce switching sound
- Heavy Duty Terminals
- Available in Snow White and Mountain Grey Colour



Inside View of Switch

- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.



CB92102SW10
CB92102SW16
CB92102SW20



CB92402SW20
CB92402SW32
CB92302SW10
CB92302SW16
CB92302SW20



CB92102SM10
CB92102SM16
CB92102SM20



CB92402SM20
CB92402SM32
CB92302SM10
CB92302SM16
CB92302SM20



CB92101BW10



CB92301BW10



CB92102BW10



CB92302BW10



CB92101BM10



CB92301BM10



CB92102BM10



CB92302BM10



CB92102MW25



CB92102MM25

SWITCHES - 2 MODULE (MEGA SWITCHES) WITH

NEW

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 20A DP with Indicator 2M	10	CB92402SW20	807	CB92402SM20	1011	NA	
Switch 32A DP with Indicator 2M	10	CB92402SW32	966	CB92402SM32	1208	CB92402SB32	1208
Switch 10AX 1-way 2M	10	CB92102SW10	334	CB92102SM10	418	NA	
Switch 10AX 1-way with Indicator 2M	10	CB92302SW10	447	CB92302SM10	563	NA	
Switch 10AX 2-way 2M	10	CB92202SW10	424	CB92202SM10	533	NA	
Switch 16AX 1-way 2M	10	CB92102SW16	499	CB92102SM16	623	NA	
Switch 16AX 1-way with Indicator 2M	10	CB92302SW16	601	CB92302SM16	751	NA	
Switch 16AX 2-way 2M	10	CB92202SW16	601	CB92202SM16	751	NA	
Switch 20A 1-way 2M	10	CB92102SW20	622	CB92102SM20	777	NA	
Switch 20A 1-way with Indicator 2M	10	CB92302SW20	751	CB92302SM20	940	NA	
Switch 20A 2-way 2M	10	CB92202SW20	751	CB92202SM20	940	NA	

BELL PUSH WITH

NEW


Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Soft Feel Bell Push 10AX 1-way 1M	20	CB92601BW10	389	CB92601BM10	487	CB92601BB10	487
Soft Feel Bell Push 10AX 1-way with Ind 1M	20	CB92801BW10	449	CB92801BM10	560	CB92801BB10	560
Bell Push 10AX 2M	10	CB92102BW10	481	CB92102BM10	599	CB92102BB10	599
Bell Push 10AX with Indicator 2M	10	CB92302BW10	549	CB92302BM10	689	CB92302BB10	689

MOTOR STARTER

NEW

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB92102MW25	1461	CB92102MM25	1826	CB92102MB25	1826

- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.



CB92602CW06

CB92302CW16



CB92602CM06

CB92302CM16

- 6A 3 Pin , 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- **6A/16A Sockets tested upto 25A rating also.**

POWER SOCKETS WITH

NEW

		Snow White		Mountain Grey		Sparkle Black	
Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB92602CW06	332	CB92602CM06	396	CB92602CB06	396
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB92302CW16	573	CB92302CM16	651	CB92302CB16	651

FAN REGULATORS & DIMMERS

NEW

		Snow White		Mountain Grey		Sparkle Black	
Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB92101DW04	1118	CB92101DM04	1397	CB92101DB04	1397
Fan Regulator 4-Step 80W 1M	10	CB92101RW01	1000	CB92101RM01	1191	CB92101RB01	1191
Fan Regulator 5-Step 120W with ISI 2M	5	CB92102RW02	1297	CB92102RM02	1544	CB92102RB02	1544
Fan Regulator 5-Step Flat Type 120W with ISI 2M	5	CB92202RW02	1199	CB92202RM02	1428	CB92202RB02	1428



CB92101DM04

CB92102DM10

CB921101RM01

CB92102RM02

CB92202RM02

- 5 step fan regulator conforms to IS 11037: 1984 and comes with "flag indicator".
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan regulators are not suitable for BLDC fans.



CB92101TW11 CB92201TW45
CB92301TW45 CB92101TW00



CB92101TM11 CB92201TM45
CB92301TM45 CB92101TM00

- For Cat 6- Data transfer speed is upto 1GBPS and Bandwidth frequency is upto 250MHz.
- For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.

DATA SOCKETS

NEW

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB92101TW11	334	CB92101TM11	418	CB92101TB11	418
RJ 45 Cat 6 Socket with Shutter 1M	20	CB92201TW45	1189	CB92201TM45	1486	CB92201TB45	1486
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB92301TW45	1199	CB92301TM45	1495	CB92301TB45	1495
TV Socket 1M	20	CB92101TW00	326	CB92101TM00	407	CB92101TB00	407



CB92101AW00 CB92102LW00 CB92101AW02 CB92401TW00



CB92401AW00 CB92402AW00 CB92101AW18 CB92201AM18

ACCESSORIES

NEW

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB92102AW00	767	CB92102AM00	933	CB92102AB00	933
Cable Outlet 1M	20	CB92101AW00	260	CB92101AM00	317	CB92101AB00	317
Blank off unit 1M	20	CB92201AW00	68	CB92201AM00	82	CB92201AB00	82
LED Foot Light 2M	5	CB92102LW00	1542	CB92102LM00	1882	CB92102LB00	1882
USB Charger - 2A 1M	10	CB92101AW02	1984	CB92101AM02	2762	CB92101AB02	2762
USB Type A Quick Charger 18W 1M	10	CB92101AW18	2550	CB92101AM18	2850	CB92101AB18	2850
USB Type C PD Charger 18W 1M	10	CB92201AW18	3350	CB92201AM18	3650	CB92201AB18	3650
LED Phase Indicator 1M - Full Glow	20	CB92401AW00	431	Same as White		Same as White	
Electronic Ding Dong Bell 2M	10	CB92402AW00	1273	CB92402AM00	1590	NA	



CB92202HW20
CB92302HW32
CB92302HW00
CB92403HW20



CB92502HW10
CB92602HW10



CB92101KW06
CB92101KW10
CB92101KW16
CB92101KW20
CB92101KW25
CB92101KW32
CB92202KW25
CB92202KW32



CB92101KM06
CB92101KM10
CB92101KM16
CB92101KM20
CB92101KM25
CB92101KM32
CB92202KM25
CB92202KM32

HOSPITALITY RANGE

		Snow White		Mountain Grey		Sparkle Black	
Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Mech key tag switch 20A 2M	5	CB92202HW20	1319	CB92202HM20	1650	NA	
Mech Key Tag Switch 32A 2M	5	CB92302HW32	1493	CB92302HM32	1867	NA	
Spare Key for Mech Key Tag	10	CB92302HW00	129	CB92302HM00	144	NA	
Electronic Key Tag 20A 3M	2	CB92403HW20	5886	CB92403HM20	7356	NA	
DND-MMR Inside Room Unit 2M	10	CB92502HW10	1361	CB92502HM10	1702	NA	
DND-MMR Outside Room Unit 2M	10	CB92602HW10	966	CB92602HM10	1207	NA	

MINI MCBs WITH LED INDICATOR

COMING SOON

		Snow White		Mountain Grey		Sparkle Black	
Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA	10	CB92101KW06	635	CB92101KM06	740	CB92101KB06	740
10A SP Mini MCB 3 kA	10	CB92101KW10	635	CB92101KM10	740	CB92101KB10	740
16A SP Mini MCB 3 kA	10	CB92101KW16	635	CB92101KM16	740	CB92101KB16	740
20A SP Mini MCB 3 kA	10	CB92101KW20	635	CB92101KM20	740	CB92101KB20	740
25A SP Mini MCB 3 kA	10	CB92101KW25	635	CB92101KM25	740	CB92101KB25	740
32A SP Mini MCB 3 kA	10	CB92101KW32	635	CB92101KM32	740	CB92101KB32	740
25A DP Mini MCB 3 kA	5	CB92202KW25	1277	CB92202KM25	1477	CB92202KB25	1477
32A DP Mini MCB 3 kA	5	CB92202KW32	1277	CB92202KM32	1477	CB92202KB32	1477

- USB charger conforms to IS 13252(Part1)
- Electronic ding-dong bell is suitable for small rooms/cabins etc.
- Mechanical & electronic key tags are modular type.



Mocha Wood



Beige Wood



Oak Wood



Shadow Black



Metallic Gold



Brush Silver

- All wooden, glass and metal plates are supplied without grid frames.
- Customers need to order the grid plates separately.
- Being Natural Wood, color and texture may have variations in supplied wooden plates.

WOOD PLATES WITHOUT GRID FRAMES

Description	Std Pack	Mocha Wood		Beige Wood		Oak Wood	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FM04	2058	CB92101FB04	2058	CB92101FW04	2058
2 Module Cover Plate	1/10	CB92102FM04	2280	CB92102FB04	2280	CB92102FW04	2280
3 Module Cover Plate	1/10	CB92103FM04	2707	CB92103FB04	2707	CB92103FW04	2707
4 Module Cover Plate	1/10	CB92104FM04	2909	CB92104FB04	2909	CB92104FW04	2909
6 Module Cover Plate	1/10	CB92106FM04	3096	CB92106FB04	3096	CB92106FW04	3096
8 Module Cover Plate Horizontal	1/10	CB92108FM04	3380	CB92108FB04	3380	CB92108FW04	3380
8 Module Cover Plate Square	1/5	CB92208FM04	3823	CB92208FB04	3823	CB92208FW04	3823
12 Module Cover Plate	1/5	CB92112FM04	5716	CB92112FB04	5716	CB92112FW04	5716
16 Module Cover Plate	1/4	CB92116FM04	6461	CB92116FB04	6461	CB92116FW04	6461
18 Module Cover Plate	1/5	CB92118FM04	7040	CB92118FB04	7040	CB92118FW04	7040

METAL (ALUMINIUM) PLATES WITHOUT GRID FRAMES

NEW

Description	Std Pack	Shadow Black		Metallic Gold		Brush Silver		Jet Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB03	2318	CB92101FG03	2318	CB92101FS03	2318	CB92101FJ03	2208
2 Module Cover Plate	1/10	CB92102FB03	2536	CB92102FG03	2536	CB92102FS03	2536	CB92102FJ03	2415
3 Module Cover Plate	1/10	CB92103FB03	2984	CB92103FG03	2984	CB92103FS03	2984	CB92103FJ03	2842
4 Module Cover Plate	1/10	CB92104FB03	3327	CB92104FG03	3327	CB92104FS03	3327	CB92104FJ03	3169
6 Module Cover Plate	1/10	CB92106FB03	4098	CB92106FG03	4098	CB92106FS03	4098	CB92106FJ03	3903
8 Module Cover Plate Horizontal	1/10	CB92108FB03	4878	CB92108FG03	4878	CB92108FS03	4878	CB92108FJ03	4646
8 Module Cover Plate Square	1/5	CB92208FB03	5528	CB92208FG03	5528	CB92208FS03	5528	CB92208FJ03	5265
12 Module Cover Plate	1/5	CB92112FB03	8302	CB92112FG03	8302	CB92112FS03	8302	CB92112FJ03	7907
16 Module Cover Plate	1/4	CB92116FB03	10612	CB92116FG03	10612	CB92116FS03	10612	CB92116FJ03	10107
18 Module Cover Plate	1/5	CB92118FB03	13605	CB92118FG03	13605	CB92118FS03	13605	CB92118FJ03	12957



Icy White



Champagne Gold



Silky Silver

GLASS PLATES WITHOUT GRID FRAMES

Description	Std Pack	Icy White		Champagne Gold		Silky Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FW02	1338	CB92101FC02	1338	CB92101FS02	1338
2 Module Cover Plate	1/10	CB92102FW02	1515	CB92102FC02	1515	CB92102FS02	1515
3 Module Cover Plate	1/10	CB92103FW02	1630	CB92103FC02	1630	CB92103FS02	1630
4 Module Cover Plate	1/10	CB92104FW02	2112	CB92104FC02	2112	CB92104FS02	2112
6 Module Cover Plate	1/10	CB92106FW02	2481	CB92106FC02	2481	CB92106FS02	2481
8 Module Cover Plate Horizontal	1/10	CB92108FW02	2812	CB92108FC02	2812	CB92108FS02	2812
8 Module Cover Plate Square	1/5	CB92208FW02	2812	CB92208FC02	2812	CB92208FS02	2812
12 Module Cover Plate	1/5	CB92112FW02	4374	CB92112FC02	4374	CB92112FS02	4374
16 Module Cover Plate	1/4	CB92116FW02	4501	CB92116FC02	4501	CB92116FS02	4501
18 Module Cover Plate	1/5	CB92118FW02	4881	CB92118FC02	4881	CB92118FS02	4881



Midnight Black



Oceanic Green



Matte Mirror

GLASS PLATES WITHOUT GRID FRAMES

Description	Std Pack	Midnight Black		Oceanic Green		Matte Mirror	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB02	1338	CB92101FG02	1338	CB92101FM02	1338
2 Module Cover Plate	1/10	CB92102FB02	1515	CB92102FG02	1515	CB92102FM02	1515
3 Module Cover Plate	1/10	CB92103FB02	1630	CB92103FG02	1630	CB92103FM02	1630
4 Module Cover Plate	1/10	CB92104FB02	2112	CB92104FG02	2112	CB92104FM02	2112
6 Module Cover Plate	1/10	CB92106FB02	2481	CB92106FG02	2481	CB92106FM02	2481
8 Module Cover Plate Horizontal	1/10	CB92108FB02	2812	CB92108FG02	2812	CB92108FM02	2812
8 Module Cover Plate Square	1/5	CB92208FB02	2812	CB92208FG02	2812	CB92208FM02	2812
12 Module Cover Plate	1/5	CB92112FB02	4374	CB92112FG02	4374	CB92112FM02	4374
16 Module Cover Plate	1/4	CB92116FB02	4501	CB92116FG02	4501	CB92116FM02	4501
18 Module Cover Plate	1/5	CB92118FB02	4881	CB92118FG02	4881	CB92118FM02	4881


All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.



COVER PLATES WITH GRID FRAMES

			Snow White		Mountain Grey	Champagne Gold	Moonlight Silver	Sparkle Black	Gold Blush	Satin Chrome	
Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹	Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	MRP in ₹
1 Module Cover Plate	97 X 90 X 14	10	CB92101FW00	227	CB92101FM01	CB92101FC01	CB92101FS01	CB92101FB01	CB92101FG01	CB92101FT01	326
2 Module Cover Plate	97 X 90 X 14	10	CB92102FW00	227	CB92102FM01	CB92102FC01	CB92102FS01	CB92102FB01	CB92102FG01	CB92102FT01	326
3 Module Cover Plate	125 X 90 X 14	10	CB92103FW00	264	CB92103FM01	CB92103FC01	CB92103FS01	CB92103FB01	CB92103FG01	CB92103FT01	378
4 Module Cover Plate	157 X 90 X 14	10	CB92104FW00	303	CB92104FM01	CB92104FC01	CB92104FS01	CB92104FB01	CB92104FG01	CB92104FT01	434
6 Module Cover Plate	228 X 90 X 14	5	CB92106FW00	470	CB92106FM01	CB92106FC01	CB92106FS01	CB92106FB01	CB92106FG01	CB92106FT01	671
8 Module Cover Plate H	262 X 90 X 18	4	CB92108FW00	557	CB92108FM01	CB92108FC01	CB92108FS01	CB92108FB01	CB92108FG01	CB92108FT01	797
8 Module Cover Plate S	157 X 157 X 14	5	CB92208FW00	557	CB92208FM01	CB92208FC01	CB92208FS01	CB92208FB01	CB92208FG01	CB92208FT01	797
12 Module Cover Plate	228 X 157 X 14	5	CB92112FW00	751	CB92112FM01	CB92112FC01	CB92112FS01	CB92112FB01	CB92112FG01	CB92112FT01	1073
16 Module Cover Plate	249 X 157 X 19	4	CB92116FW00	932	CB92116FM01	CB92116FC01	CB92116FS01	CB92116FB01	CB92116FG01	CB92116FT01	1275
18 Module Cover Plate	228 X 226 X 20	5	CB92118FW00	1052	CB92118FM01	CB92118FC01	CB92118FS01	CB92118FB01	CB92118FG01	CB92118FT01	1436

All white and colour plates are supplied with grid frames.



Description	Cut-out Dimensions (For Furniture Installation) W X H (mm)	Std Pack	Cat No	MRP in ₹
1/2 Module Grid Frame	71 X 60	10	CB92102GB00	88
3 Module Grid Frame	86 X 60	10	CB92103GB00	111
4 Module Grid Frame	110 X 60	10	CB92104GB00	132
6 Module Grid Frame	156 X 60	5	CB92106GB00	206
8 Module Grid Frame Horizontal	206 X 68	4	CB92108GB00	244
8 Module Grid Frame Square	109 X 125	5	CB92208GB00	244
12 Module Grid Frame	168 X 126	5	CB92112GB00	333
16 Module Grid Frame	191 X 136	4	CB92116GB00	432
18 Module Grid Frame	156 X 193	5	CB92118GB00	481

For Metal Boxes refer pg. no. 43



L&T Switchgear*
Business

IS NOW



Electrical & Automation

We make more than switches.
We make your moments.



entice
— POWERED BY LAURITZ KNUDSEN —

entice - Vibrant and sophisticated switches
from Lauritz Knudsen #MadeForMoments

*Under license from Larsen & Toubro Limited. | *Trademark of Schneider Electric Denmark A/S.

THE SHADE OF SUCCESS

360-degree /
full rotation of
fan regulator.

Modular
USB
charger.

Complete
connection
solution for
TV, computers,
projectors etc.

Modular MCB
with LED
Indicators.

ISI & CE
certified

Glass Plates &
Marble Finish
available

Strong,
durable
build.

Safety
shutters.

Sleek,
ribless
design.

Vertical &
horizontal
mounting
plates.

Tested for over
3 Lakh clicks.

HDMI, VGA,
USB & RCA
communication
connectors.

Feather Touch
Switches with
Remote

High
gloss
mirror
finish.

MODULAR IR TOUCH SWITCHES – Suitable for entice plates

KEY FEATURES : TOUCH SWITCHES

- Modular type Touch Switches range suitable for all entice plates
- Hassle free installation-No need to change any wiring & mounting boxes
- Night Locator-Easy to locate in dark
- Highly Reliable & Durable
- Conforms to international standard IEC-60669 Part 1 & 2
- Range covers Switching & Controls function
- Black & Charcoal Grey options available




KEY FEATURES: IR REMOTE


- Sit and operate-32 Switch control
- Set your favourite scene-8 different scenes in a click
- Master Switch-Master On/Off in a click




SWITCHES




SWITCH: 4CH




SWITCH: 2CH



SWITCH: 2-WAY




SWITCH: BELL PUSH




SWITCH: 25 A

CONTROLS



LIGHT DIMMER



FAN REGULATOR

Charcoal Grey



Black



Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹
Touch IR Switch 2 Channel 2M	1	CB91602SC02	4650	CB91602SB02	4650
Touch IR Switch 4 Channel 2M	1	CB91602SC04	5100	CB91602SB04	5100
Touch IR Switch 2 way 2M	1	CB91602SC00	4960	CB91602SB00	4960
Touch Bell Push 2M	1	CB91602BC00	4640	CB91602BB00	4640
Touch IR Switch 25 A 2M	1	CB91602SC20	4875	CB91602SB20	4875
Touch IR Fan Regulator 8-Step 2M	1	CB91602FC00	5400	CB91602RB00	5400
Touch IR Universal Light Dimmer 2M*	1	CB91602DC00	6000	CB91602DB00	6000
IR Remote Control - Black	1	CB98T02RM13	1400		

*Universal Dimmer suitable for LED Lights with phase-cut drivers



CB91101SW10
CB91101SW16
CB91101SW25

CB91301SW10
CB91301SW16
CB91301SW25

CB91201SW10
CB91201SW16

CB91402SW20
CB91402SW32



CB91101SG10
CB91101SG16
CB91101SG25

CB91301SG10
CB91301SG16
CB91301SG25

CB91201SG10
CB91201SG16

CB91402SG20
CB91402SG32



CB91101BW10 CB91301BW10

CB91101BG10 CB91301BG10



CB91102MW25 CB91102MG25

- 3 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.

SWITCHES WITH

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	CB91101SW10	116	CB91101SG10	161
Switch 10AX 1-way with Indicator 1M	20	CB91301SW10	267	CB91301SG10	374
Switch 10AX 2-way 1M	20	CB91201SW10	254	CB91201SG10	354
Switch 16AX 1-way 1M	20	CB91101SW16	271	CB91101SG16	376
Switch 16AX 1-way with Indicator 1M	20	CB91301SW16	323	CB91301SG16	457
Switch 16AX 2-way 1M	20	CB91201SW16	339	CB91201SG16	457
Switch 25A 1-way 1M	20	CB91101SW25	402	CB91101SG25	459
Switch 25A 1-way with Indicator 1M	20	CB91301SW25	487	CB91301SG25	528
Switch 20A DP with Indicator 2M	10	CB91402SW20	613	CB91402SG20	806
Switch 32A DP with Indicator 2M	10	CB91402SW32	705	CB91402SG32	967

BELL PUSH WITH

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Bell Push 10AX 1M	20	CB91101BW10	282	CB91101BG10	371
Bell Push 10AX with indicator 1M	20	CB91301BW10	324	CB91301BG10	427
Bell Push 10AX with indicator 2M	10	CB91302BW10	420	CB91302BG10	551

MOTOR STARTER

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB91102MW25	1319	CB91102MG25	1763



CB91602CW06
CB91702CW06



CB91302CW16



CB91602CG06
CB91702CG06



CB91302CG16

POWER SOCKETS WITH ISI

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB91602CW06	195	CB91602CG06	279
New Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB91702CW06	210	CB91702CG06	285
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB91302CW16	436	CB91302CG16	612

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A 3 Pin Socket Heavy Duty is with heavy connectors and terminals for more durability.
- **6A/16A Sockets tested upto 25A rating also.**

FAN REGULATORS & DIMMERS

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB91101DW04	916	CB91101DG04	1300
Fan Regulator 4-Step 80W 1M	10	CB91101RW01	680	CB91101RG01	993
Fan Regulator 5-Step 120W with ISI 2M	5	CB91102RW02	939	CB91102RG02	1372



CB91101DW04



CB91102DW10



CB91101RW01



CB91102RW02

- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan regulators are not suitable for BLDC fans.



CB91101TW11

CB91201TW45
CB91301TW45

CB91101TW00

DATA SOCKETS

Description	Standard Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB91101TW11	273	CB91101TG11	403
RJ 45 Cat 6 Socket with Shutter 1M	20	CB91201TW45	991	CB91201TG45	1424
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB91301TW45	999	CB91301TG45	1440
TV Socket 1M	20	CB91101TW00	273	CB91101TG00	387

- For Cat 6- Data transfer speed is upto 1GBPS and Bandwidth frequency is upto 250MHz.
- For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.



CB91102AW00

CB91402AW00

CB91101AW00

CB91201AW00

CB91102LW00



CB91101AW02

CB91401AW00

CB91102AG00

CB91101AG00

CB91201AG00

CB91101AG18

CB91201AW18

- USB charger conforms to IS 13252(Part1),
- Electronic ding-dong bell is suitable for small rooms/cabins etc.

ACCESSORIES

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB91102AW00	651	CB91102AG00	936
Cable Outlet 1M	White 20 Grey 15	CB91101AW00	220	CB91101AG00	317
Blank Off Unit 1M	20	CB91201AW00	58	CB91201AG00	80
LED Foot Light 2M	5	CB91102LW00	1311	CB91102LG00	1885
USB Charger 2A 1M	10	CB91101AW02	1639	CB91101AG02	2449
USB Type A Quick Charger 18W 1M	10	CB91101AW18	2150	CB91101AG18	2495
USB Type C PD Charger 18W 1M	10	CB91201AW18	2950	CB91201AG18	3350
LED Phase Indicator 1M - Full Glow	20	CB91401AW00	340	Same as White	
Electronic Ding Dong Bell 2M	10	CB91402AW00	1132	CB91402AG00	1502



CB91202HW20
CB91302HW32

CB91502HW10

CB91602HW10



CB91302HW00

CB91202HG20
CB91302HG32

CB91502HG10

• Mechanical Key Tag are modular type and supplied without any plates.

FEATURES

- Mini MCBs with LED indicator
- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- Available in White & Charcoal Grey colors
- IP20 protection
- RoHS Compliant



CB91101KW06
CB91101KW10
CB91101KW16
CB91101KW20
CB91101KW25
CB91101KW32

CB91202KW25
CB91202KW32



CB91101KG06
CB91101KG10
CB91101KG16
CB91101KG20
CB91101KG25
CB91101KG32

CB91202KG25
CB91202KG32


HOSPITALITY RANGE

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag Switch 20A 2M	5	CB91202HW20	976	CB91202HG20	1287
Mech Key Tag Switch 32A 2M	5	CB91302HW32	1107	CB91302HG32	1461
Spare Key for Mech Key Tag	10	CB91302HW00	103	CB91302HG00	116
DND-MMR Inside Room Unit 2M	10	CB91502HW10	764	CB91502HG10	1116
DND-MMR Outside Room Unit 2M	10	CB91602HW10	814	Same as White	

MINI MCBs WITH LED INDICATOR

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3kA 1M	10	CB91101KW06	559	CB91101KG06	695
10A SP Mini MCB 3kA 1M	10	CB91101KW10	559	CB91101KG10	695
16A SP Mini MCB 3kA 1M	10	CB91101KW16	559	CB91101KG16	695
20A SP Mini MCB 3kA 1M	10	CB91101KW20	559	CB91101KG20	695
25A SP Mini MCB 3kA 1M	10	CB91101KW25	559	CB91101KG25	695
32A SP Mini MCB 3kA 1M	10	CB91101KW32	559	CB91101KG32	695
25A DP Mini MCB 3kA 2M	5	CB91202KW25	1111	CB91202KG25	1372
32A DP Mini MCB 3kA 2M	5	CB91202KW32	1111	CB91202KG32	1372

WHITES




The serenity of the white classics are perfect for those who seek understated elegance.



VIVID



Gold Rush



Eco Grey

Handpicked artistic colours that will shine through, as a display of your fine taste.



Charcoal Grey



Ice Silver



Bottle Green



Black Beauty



VIBRANT



Firestorm Orange

Rare & full of life, the vibrant series is full of bright colours, crafted for those who prefer the exotic.



Metallic Grey



Rustic Gold



Rose Gold



WOODEN



Cinnamon Wood

Rustic & earthy, these wooden tones really bring out the aesthetics of your home.




Dark Chocolate Wood



COVER PLATES WITH GRID FRAMES - WHITE


Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	97 X 90 X 14	15	CB91101FW00	172
2 Module Cover Plate+Grid Frame	97 X 90 X 14	15	CB91102FW00	172
3 Module Cover Plate+Grid Frame	125 X 90 X 14	10	CB91103FW00	224
4 Module Cover Plate+Grid Frame	157 X 90 X 14	10	CB91104FW00	256
6 Module Cover Plate+Grid Frame	228 X 90 X 14	5	CB91106FW00	343
8 Module Cover Plate+Grid Frame Horizontal	262 X 90 X 14	5	CB91108FW00	408
8 Module Cover Plate+Grid Frame Square	157 X 157 X 14	5	CB91208FW00	408
8 Module Cover Plate+Grid Frame-Small Size (Suitable for Oris 10M Boxes)	262 X 90 X 18	5	CB91308FW00	484
12 Module Cover Plate+Grid Frame	228 X 157 X 14	5	CB91112FW00	551
16 Module Cover Plate+Grid Frame	248 X 156 X 18	4	CB91116FW00	683
18 Module Cover Plate+Grid Frame	228 X 226 X 14	5	CB91118FW00	721



- 8M Horizontal Small size, is suitable for 10M ORIS Box.
- All White cover plates supplied with grid frames.
- 16M Cover plate is also suitable for 12M GI metal box.

COVER PLATES WITHOUT GRID FRAMES - VIVID SHADES

Description	Std Pack	Charcoal Grey	Eco Grey	Gold Rush	Ice Silver	Black Beauty	Bottle Green	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FG11	CB91101FE11	CB91101FU11	CB91101FI11	CB91101FB11	CB91101FD11	230
2 Module Cover Plate	15	CB91102FG11	CB91102FE11	CB91102FU11	CB91102FI11	CB91102FB11	CB91102FD11	230
3 Module Cover Plate	10	CB91103FG11	CB91103FE11	CB91103FU11	CB91103FI11	CB91103FB11	CB91103FD11	307
4 Module Cover Plate	10	CB91104FG11	CB91104FE11	CB91104FU11	CB91104FI11	CB91104FB11	CB91104FD11	339
6 Module Cover Plate	5	CB91106FG11	CB91106FE11	CB91106FU11	CB91106FI11	CB91106FB11	CB91106FD11	438
8 Module Cover Plate Horizontal	5	CB91108FG11	CB91108FE11	CB91108FU11	CB91108FI11	CB91108FB11	CB91108FD11	513
8 Module Cover Plate Square	5	CB91208FG11	CB91208FE11	CB91208FU11	CB91208FI11	CB91208FB11	CB91208FD11	513
12 Module Cover Plate	5	CB91112FG11	CB91112FE11	CB91112FU11	CB91112FI11	CB91112FB11	CB91112FD11	694
16 Module Cover Plate	5	CB91116FG11	CB91116FE11	CB91116FU11	CB91116FI11	CB91116FB11	CB91116FD11	942
18 Module Cover Plate	5	CB91118FG11	CB91118FE11	CB91118FU11	CB91118FI11	CB91118FB11	CB91118FD11	1045



- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.



Rustic Gold

Metallic Grey



Firestorm Orange

Rose Gold

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

COVER PLATES WITHOUT GRID FRAMES - VIBRANT SHADES

Description	Std Pack	Rustic Gold	Metallic Grey	Firestorm Orange	Rose Gold	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FR11	CB91101FM11	CB91101FS11	CB91101FL11	362
2 Module Cover Plate	15	CB91102FR11	CB91102FM11	CB91102FS11	CB91102FL11	362
3 Module Cover Plate	10	CB91103FR11	CB91103FM11	CB91103FS11	CB91103FL11	453
4 Module Cover Plate	10	CB91104FR11	CB91104FM11	CB91104FS11	CB91104FL11	478
6 Module Cover Plate	5	CB91106FR11	CB91106FM11	CB91106FS11	CB91106FL11	549
8 Module Cover Plate Horizontal	5	CB91108FR11	CB91108FM11	CB91108FS11	CB91108FL11	720
8 Module Cover Plate Square	5	CB91208FR11	CB91208FM11	CB91208FS11	CB91208FL11	720
12 Module Cover Plate	5	CB91112FR11	CB91112FM11	CB91112FS11	CB91112FL11	961
16 Module Cover Plate	5	CB91116FR11	CB91116FM11	CB91116FS11	CB91116FL11	1057
18 Module Cover Plate	5	CB91118FR11	CB91118FM11	CB91118FS11	CB91118FL11	1314

COVER PLATES WITHOUT GRID FRAMES - WOODEN FINISHES



Dark Chocolate Wood

Cinnamon Wood

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Cubic Printing Technology used for wooden finishes.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Dark Chocolate Wood	Cinnamon Wood	MRP in ₹
		Cat No	Cat No	
1 Module Cover Plate	15	CB91101FL12	CB91101FA12	370
2 Module Cover Plate	15	CB91102FL12	CB91102FA12	370
3 Module Cover Plate	10	CB91103FL12	CB91103FA12	443
4 Module Cover Plate	10	CB91104FL12	CB91104FA12	527
6 Module Cover Plate	5	CB91106FL12	CB91106FA12	715
8 Module Cover Plate Horizontal	5	CB91108FL12	CB91108FA12	865
8 Module Cover Plate Square	5	CB91208FL12	CB91208FA12	865
12 Module Cover Plate	5	CB91112FL12	CB91112FA12	1226
16 Module Cover Plate	5	CB91116FL12	CB91116FA12	1547
18 Module Cover Plate	5	CB91118FL12	CB91118FA12	1936



Presenting the all new range of Glass plates in entice. These Glass Plates represent the perfect amalgamation of style and functionality. Crafted with utmost precision and attention to detail, they exude elegance and modernity, elevating the aesthetics of any space they adorn.

Onyx Black Glass

Classic Grey Glass

- Real Toughened 4mm Glass with Golden Bezel
- Plates are supplied with Grid Plates

ENTICE GLASS PLATES WITH GRID FRAME

NEW

Description	Std Pack	Onyx Black Glass		Classic Grey Glass	
		Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1	CB91101FB02	790	CB91101FC02	790
2 Module Cover Plate	1	CB91102FB02	790	CB91102FC02	790
3 Module Cover Plate	1	CB91103FB02	1125	CB91103FC02	1125
4 Module Cover Plate	1	CB91104FB02	1550	CB91104FC02	1550
6 Module Cover Plate	1	CB91106FB02	1950	CB91106FC02	1950
8 Module Cover Plate Horizontal	1	CB91108FB02	2250	CB91108FC02	2250
8 Module Cover Plate Square	1	CB91208FB02	2250	CB91208FC02	2250
12 Module Cover Plate	1	CB91112FB02	2725	CB91112FC02	2725
16 Module Cover Plate	1	CB91116FB02	2950	CB91116FC02	2950
18 Module Cover Plate	1	CB91118FB02	3350	CB91118FC02	3350



Introducing the timeless beauty of Marble finish plates Marble finish plates effortlessly blend with a variety of interior styles, from classic to contemporary, traditional to modern. Their timeless appeal ensures that they remain a stylish addition to your home for years to come.

Mystic Marble Finish


White Marble Finish

- Marble Finish plates made with highly reliable Thermal/Heat transfer film technology
- Plates are supplied with Grid Plates


ENTICE MARBLE FINISH PLATES WITH GRID FRAME

NEW

Description	Std Pack	Mystic Marble Finish		White Marble Finish	
		Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1	CB91101FM07	455	CB91101FW07	455
2 Module Cover Plate	1	CB91102FM07	455	CB91102FW07	455
3 Module Cover Plate	1	CB91103FM07	525	CB91103FW07	525
4 Module Cover Plate	1	CB91104FM07	595	CB91104FW07	595
6 Module Cover Plate	1	CB91106FM07	830	CB91106FW07	830
8 Module Cover Plate Horizontal	1	CB91108FM07	925	CB91108FW07	925
8 Module Cover Plate Square	1	CB91208FM07	925	CB91208FW07	925
12 Module Cover Plate	1	CB91112FM07	1250	CB91112FW07	1250
16 Module Cover Plate	1	CB91116FM07	1850	CB91116FW07	1850
18 Module Cover Plate	1	CB91118FM07	1950	CB91118FW07	1950



- Grid frames suitable for all colour plates and wooden finish plates.
- Ease for retailers to maintain stocks.



GRID FRAMES (FOR VIVID, VIBRANT & WOOD COVER PLATES)

Description	Cut-out Dimensions (For Furniture Installation) W X H (mm)	Std Pack	Cat No	MRP in ₹
1/2 Module Grid Frame	52 X 55	15	CB91102GB00	66
3 Module Grid Frame	80 X 66	10	CB91103GB00	76
4 Module Grid Frame	119 X 55	10	CB91104GB00	98
6 Module Grid Frame	178 X 61	5	CB91106GB00	154
8 Module Grid Frame Horizontal	222 X 68	5	CB91108GB00	183
8 Module Grid Frame Square	113 X 120	5	CB91208GB00	183
12 Module Grid Frame	173 X 120	5	CB91112GB00	250
16 Module Grid Frame	203 X 126	4	CB91116GB00	418
18 Module Grid Frame	173 X 185	5	CB91118GB00	432

GI METAL MOUNTING BOXES

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	77 X 76 X 53	60	CB91102WM00	106
GI Metal Box-3 Module	103 X 76 X 53	45	CB91103WM00	147
GI Metal Box- 4 Module	136 X 76 X 53	30	CB91104WM00	168
GI Metal Box- 6 Module	210 X 76 X 53	20	CB91106WM00	237
GI Metal Box- 8 Module Horizontal	227 X 82 X 53	15	CB91108WM00	301
GI Metal Box- 8 Module Square	136 X 132 X 58	24	CB91208WM00	301
GI Metal Box- 12 Module	210 X 132 X 61	16	CB91112WM00	443
GI Metal Box- 16 Module	227 X 146 X 61	12	CB91116WM00	510
GI Metal Box- 18 Module	212 X 210 X 61	10	CB91118WM00	553

- Suitable for entice, englaze and enGem ranges.
- GI Boxes Conforms to IS14772: 2000
- With  Marking




L&T Switchgear*
Business

IS NOW



Electrical & Automation

We make more than switches.
We make your moments.



enGem
— POWERED BY LAURITZ KNUDSEN —

enGem - Safe and secure switches
from Lauritz Knudsen #MadeForMoments

*Under license from Larsen & Toubro Limited. | *Trademark of Schneider Electric Denmark A/S.



2 AMP USB CHARGING WITH LED INDICATOR

The enGem range allows your customers to fast-charge devices with the power of 2 Amp. That's not all. The range also comes with a Direct USB Charger that has a LED light indicator, The more impressed your customers, the more compliments you'll get.



PREMIUM FLAT DESIGN

Impress your customers with the enGem range of premium flat-design plates. They come with superior plastic quality and wide cover plates that make them durable and easier to install.



HASSLE-FREE PLUGGING

When you choose enGem, your customers can be rest assured about the safety of their children due to it's in-built safety shutter in sockets. More safety is sure to earn you more compliments.



360° ROTATION FOR BREAK-FREE OPERATIONS

When you recommend enGem switches, your customers get to enjoy the comfort of a fan without the hassle of a breakage-prone regulator. The 360° rotation regulator knob is built and designed for break-free operations.



CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

enGem switches reduce the time taken for every switch installation, thereby helping you finish the job quicker. These switches come with captive screws and front removal switches to make the installation process quicker and easier for you. But faster installations for you also mean lesser wait time for your customers. So, faster you finish the job, the more compliments you are bound to get.



1 LAKH + CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Your customers will only compliment you when the switch you install lasts really long. enGem switches offer more than 1 Lakh clicks, which has also been certified by NABL*. What's more, you can plug sockets in and out over 10,000 times.



COLOUR & BEZEL OPTIONS AVAILABLE

enGem switches are now available in two classic colours, White & Stone Grey. And you get to choose Chrome & Gold bezel options too. engem brings to you 6 stunning options to match with your home decor.



SWITCHES & BELL PUSH WITH

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 6AX 1-way 1M	20	CB93101SW06	70	CB93101SS06	85
Switch 6AX 1-way with Indicator 1M	20	CB93301SW06	191	CB93301SS06	239
Switch 6AX 2-way 1M	20	CB93201SW06	183	CB93201SS06	229
Switch 16AX 1-way 1M	20	CB93101SW16	169	CB93101SS16	203
Switch 16AX 1-way with Indicator 1M	20	CB93301SW16	233	CB93301SS16	280
Switch 16AX 2-way 1M	20	CB93201SW16	256	CB93201SS16	320
Switch 20A 1-way 1M	20	CB93101SW20	215	CB93101SS20	269
Switch 20A 1-way with Indicator 1M	20	CB93301SW20	292	CB93301SS20	366
Switch 32A DP with Indicator lamp 2M	10	CB93402SW32	464	CB93402SS32	579
Bell Push 6A 1M	20	CB93101BW06	203	CB93101BS06	254
Bell Push 6A with Indicator 1M	20	CB93301BW06	226	CB93301BS06	282
Bell Push 6A with Indicator 2M	10	CB93302BW06	301	CB93302BS06	376

MOTOR STARTER


Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
New Motor Starter 25A 2M	10	CB93102MW25	890	CB93102MS25	1095

POWER SOCKET WITH

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB93602CW06	143	CB93602CS06	183
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB93302CW16	235	CB93302CS16	293



- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.



CB93102MW25



CB93602CW06

CB93302CW16

CB93602CS06

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets tested upto 25A rating also.



- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.



USB Charger conforms to IS 13252 (Part 1)

FEATURES

- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- IP20 protection
- RoHS Compliant
- Available in White and Stone Grey Colors



FAN REGULATORS & DIMMERS

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB93101DW04	704	CB93101DS04	879
Fan Regulator 4-Step 80W 1M	10	CB93101RW01	485	CB93101RS01	583
Fan Regulator 5-Step 120W with ISI 2M	05	CB93102RW02	627	CB93102RS02	722

DATA SOCKETS & ACCESSORIES

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB93101TW11	199	CB93101TS11	247
RJ 45 Cat 6 Socket with Shutter 1M	20	CB93201TW45	750	CB93201TS45	938
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB93301TW45	760	CB93301TS45	950
TV Socket 1M	20	CB93101TW00	194	CB93101TS00	242
Cable Outlet 1M	20	CB93101AW00	156	CB93101AS00	196
Blank off Unit 1M	20	CB93201AW00	41	CB93201AS00	51
LED Foot Light 2M	5	CB93102LW00	933	CB93102LS00	1166
USB Charger 2A 1M	10	CB93101AW02	1293	CB93101AS02	1552
LED Phase Indicator 1M	20	CB93301AW00	182	CB93301AS00	218
New LED Phase Indicator 1M-Full Glow	20	CB93401AW00	235	Same as White	

MINI MCBs

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3ka 1M	10	CB93101KW06	465	CB93101KS06	558
10A SP Mini MCB 3ka 1M	10	CB93101KW10	465	CB93101KS10	558
16A SP Mini MCB 3ka 1M	10	CB93101KW16	465	CB93101KS16	558
20A SP Mini MCB 3ka 1M	10	CB93101KW20	465	CB93101KS20	558
25A SP Mini MCB 3ka 1M	10	CB93101KW25	465	CB93101KS25	558
32A SP Mini MCB 3ka 1M	10	CB93101KW32	465	CB93101KS32	558
25A DP Mini MCB 3ka 2M	5	CB93202KW25	1038	CB93202KS25	1246
32A DP Mini MCB 3ka 2M	5	CB93202KW32	1038	CB93202KS32	1246



CB93101FW00

CB93102FW00

CB93103FW00

CB93104FW00



CB93104FS01



CB93106FS01



CB93104FS06



CB93106FS05



CB93106FW05




CB93106FW06

COVER PLATES WITH GRID FRAMES

Description	Dimensions W X H X D (mm)	Std Pack	White		Stone Grey	
			Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93101FW00	111	CB93101FS01	150
2 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93102FW00	111	CB93102FS01	150
3 Module Cover Plate+Grid Frame	126 X 90 X 14	10	CB93103FW00	144	CB93103FS01	195
4 Module Cover Plate+Grid Frame	158 X 90 X 14	10	CB93104FW00	170	CB93104FS01	230
6 Module Cover Plate+Grid Frame	229 X 90 X 14	5	CB93106FW00	251	CB93106FS01	339
8 Module Cover Plate+Grid Frame Horizontal	263 X 90 X 14	5	CB93108FW00	297	CB93108FS01	401
8 Module Cover Plate+Grid Frame Square	158 X 157 X 14	5	CB93208FW00	297	CB93208FS01	401
12 Module Cover Plate+Grid Frame	229 X 157 X 14	5	CB93112FW00	402	CB93112FS01	542
16 Module Cover Plate+Grid Frame	249 X 156 X 18	4	CB93116FW00	595	CB93116FS01	802
18 Module Cover Plate+Grid Frame	229 X 226 X 14	5	CB93118FW00	609	CB93118FS01	821

COVER PLATES WITH GRID FRAMES FOR BEZEL OPTIONS

Description	Std Pack	White with Chrome Bezel		White with Gold Bezel		Stone Grey with Chrome Bezel		Stone Grey with Gold Bezel	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	10	CB93101FW05	129	CB93101FW06	139	CB93101FS05	177	CB93101FS06	200
2 Module Cover Plate+Grid Frame	10	CB93102FW05	129	CB93102FW06	139	CB93102FS05	177	CB93102FS06	200
3 Module Cover Plate+Grid Frame	10	CB93103FW05	168	CB93103FW06	179	CB93103FS05	231	CB93103FS06	259
4 Module Cover Plate+Grid Frame	10	CB93104FW05	197	CB93104FW06	211	CB93104FS05	272	CB93104FS06	307
6 Module Cover Plate+Grid Frame	4	CB93106FW05	291	CB93106FW06	312	CB93106FS05	402	CB93106FS06	453
8 Module Cover Plate+Grid Frame Horizontal	4	CB93108FW05	358	CB93108FW06	382	CB93108FS05	496	CB93108FS06	554
8 Module Cover Plate+Grid Frame Square	4	CB93208FW05	358	CB93208FW06	382	CB93208FS05	496	CB93208FS06	554
12 Module Cover Plate+Grid Frame	4	CB93112FW05	503	CB93112FW06	516	CB93112FS05	670	CB93112FS06	722
16 Module Cover Plate+Grid Frame	4	CB93116FW05	746	CB93116FW06	764	CB93116FS05	994	CB93116FS06	1070
18 Module Cover Plate+Grid Frame	4	CB93118FW05	762	CB93118FW06	782	CB93118FS05	1015	CB93118FS06	1094



SURFACE MOUNTING BOXES

Suitable for entice, englaze and enGem range of plates



GI METAL MOUNTING BOXES

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	72 X 75 X 46	10	CB93102WM00	79
GI Metal Box-3 Module	98 X 75 X 46	10	CB93103WM00	117
GI Metal Box- 4 Module	133 X 75 X 53	10	CB93104WM00	142
GI Metal Box- 6 Module	204 X 75 X 53	10	CB93106WM00	204
GI Metal Box- 8 Module Horizontal	230 X 78 X 53	5	CB93108WM00	261
GI Metal Box- 8 Module Square	131 X 136 X 58	5	CB93208WM00	261
GI Metal Box- 12 Module	204 X 135 X 58	5	CB93112WM00	348
GI Metal Box- 16 Module	231 X 142 X 58	5	CB93116WM00	426
GI Metal Box- 18 Module	204 X 202 X 58	5	CB93118WM00	484

- GI Metal Boxes Suitable for englaze, entice and enGem ranges
- GI Metal Boxes Conforms to IS 14772:2000.
- New Standard retail packing as per above mentioned quantity, will be available soon with new packaging.
- With  Marking

MOUNTING BOXES - PLASTIC SURFACE

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
Surface Mounting Box - 1/2M	98 X 90 X 50	12	CB91102WP00	95
Surface Mounting Box - 3M	126 X 90 X 50	10	CB91103WP00	125
Surface Mounting Box - 4M	158 X 90 X 50	12	CB91104WP00	149
Surface Mounting Box - 6M	229 X 90 X 50	5	CB91106WP00	195
Surface Mounting Box - 8M Horizontal	263 X 90 X 50	5	CB91108WP00	245
Surface Mounting Box - 8M Square	158 X 157 X 50	7	CB91208WP00	245
Surface Mounting Box - 12M	229 X 157 X 50	5	CB91112WP00	325
Surface Mounting Box - 16M	249 X 157 X 50	5	CB91116WP00	345
Surface Mounting Box - 18M	229 X 226 X 50	5	CB91118WP00	375

CUSTOMISED GI METAL BOXES SUITABLE FOR MIVAN CONSTRUCTION

Suitable for entice, englaze and enGem range of plates

Technical Specifications

- Material Type – CRCA Galvanised Sheet
- Sheet Thickness – 1.2mm / 1.6mm
- Depth – 50mm / 60mm
- GI coating – 120 GSM
- Design Type – Foldable, weldless design
- Knockouts – Multiple knockouts on all sides
- RoHS Compliant – Yes
- Testing /Certification – Conforms to IS14772: 2000
- with  Marking



• Make to order for projects, please consider Delivery time – 6-8 weeks

CUSTOMISED GI METAL BOXES - 1.2MM THICK & 50MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.2mm & 50mm Depth	73 X 78 X 50	10	CB91102WM1250	175
GI Metal Box-3 Module 1.2mm & 50mm Depth	99 X 78 X 50	10	CB91103WM1250	215
GI Metal Box- 4 Module 1.2mm & 50mm Depth	133 X 78 X 50	10	CB91104WM1250	255
GI Metal Box- 6 Module 1.2mm & 50mm Depth	202 X 78 X 50	10	CB91106WM1250	365
GI Metal Box- 8 Module L-1.2mm & 50mm Depth	231 X 78 X 50	5	CB91108WM1250	435
GI Metal Box- 8 Module Sqr -1.2mm & 50mm Depth	132 X 136 X 50	5	CB91208WM1250	435
GI Metal Box- 12 Module -1.2mm & 50mm Depth	204 X 136 X 50	5	CB91112WM1250	550

CUSTOMISED GI METAL BOXES - 1.6MM THICK & 50MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.6mm & 50mm Depth	74 X 78 X 50	10	CB91102WM1650	225
GI Metal Box-3 Module 1.6mm & 50mm Depth	100 X 78 X 50	10	CB91103WM1650	265
GI Metal Box- 4 Module 1.6mm & 50mm Depth	134 X 78 X 50	10	CB91104WM1650	325
GI Metal Box- 6 Module 1.6mm & 50mm Depth	205 X 78 X 50	10	CB91106WM1650	425
GI Metal Box- 8 Module L-1.6mm & 50mm Depth	232 X 78 X 50	5	CB91108WM1650	525
GI Metal Box- 8 Module Sqr -1.6mm & 50mm Depth	132 X 136 X 50	5	CB91208WM1650	525
GI Metal Box- 12 Module -1.6mm & 50mm Depth	204 X 136 X 50	5	CB91112WM1650	685

CUSTOMISED GI METAL BOXES - 1.2MM THICK & 60MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.2mm & 60mm Depth	72 X 75 X 61	10	CB91102WM1260	201
GI Metal Box-3 Module 1.2mm & 60mm Depth	98 X 75 X 61	10	CB91103WM1260	247
GI Metal Box- 4 Module 1.2mm & 60mm Depth	133 X 75 X 61	10	CB91104WM1260	293
GI Metal Box- 6 Module 1.2mm & 60mm Depth	204 X 75 X 61	10	CB91106WM1260	420
GI Metal Box- 8 Module L-1.2mm & 60mm Depth	232 X 78 X 62	5	CB91108WM1260	500
GI Metal Box- 8 Module Sqr -1.2mm & 60mm Depth	132 X 136 X 62	5	CB91208WM1260	500
GI Metal Box- 12 Module -1.2mm & 60mm Depth	205 X 136 X 62	5	CB91112WM1260	650

CUSTOMISED GI METAL BOXES - 1.6MM THICK & 60MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.6mm & 60mm Depth	74 X 75 X 61	10	CB91102WM1660	259
GI Metal Box-3 Module 1.6mm & 60mm Depth	100 X 75 X 61	10	CB91103WM1660	305
GI Metal Box- 4 Module 1.6mm & 60mm Depth	134 X 75 X 61	10	CB91104WM1660	374
GI Metal Box- 6 Module 1.6mm & 60mm Depth	205 X 75 X 61	10	CB91106WM1660	489
GI Metal Box- 8 Module L-1.6mm & 60mm Depth	232 X 78 X 62	5	CB91108WM1660	604
GI Metal Box- 8 Module Sqr -1.6mm & 60mm Depth	132 X 136 X 62	5	CB91208WM1660	604
GI Metal Box- 12 Module -1.6mm & 60mm Depth	205 X 136 X 62	5	CB91112WM1660	788

ORIS RANGE IS DISCONTINUED

MATERIAL AVAILABLE TILL STOCKS LAST

SWITCHES & BELL PUSH WITH

Description	Std Pack	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	OS11W10	199
Switch 10AX 2-way 1M	20	OS12W10	323
Switch 10AX 1-way with Indicator 1M	20	OS13W10	323
Switch 16AX 1-way 1M	20	OS11W16	376
Switch 16AX 2-way 1M	20	OS12W16	445
Switch 16AX 1-way with Indicator 1M	20	OS13W16	418
Switch 10AX 1-way 1M - W Plain Knob	20	OS15W10	193
Switch 10AX 2-way 1M - W Plain Knob	20	OS16W10	310
Switch 16AX 1-way 1M - W Plain Knob	20	OS15W16	357
Switch 16AX 2-way 1M - W Plain Knob	20	OS16W16	430
Switch 20A DP with Indicator 2M	10	OS24W20	722
Switch 32A DP with Indicator 2M	10	OS24W32	867
Switch Night Locator 10A 1M	20	OS14W10	351
Bell Push 6A 1M	20	OB11W06	347
Bell Push 6A with Indicator 1M	20	OB13W06	387
Bell Push 10A with Indicator 2M	10	OB23W10	474
Bell Push 6A 1M - W Plain Knob	20	OB15W06	334

MOTOR STARTER

Description	Std Pack	Cat No	MRP in ₹
Motor Starter 1 PH 25A 3M	8	OS31W25	1701

• Marked Cat Nos are available till stocks last.

POWER SOCKET WITH

Description	Std Pack	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	OC36W06	280
Socket 6A/16A 3 Pin Combi with ISI 2M	10	OC32W66	552

FAN REGULATOR & DIMMER

Description	Std Pack	Cat No	MRP in ₹
Dimmer 400 W 1M	5	OD21W04	1176
Fan Regulator 5-Step 120W with ISI 2M	5	OR22W01	1225

• Material available till stock lasts

DATA SOCKETS

Description	Std Pack	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	OT11W11	326
RJ 45 Cat 6 Socket with Shutter 1M	20	OT11W45	1035
TV Socket 1M	20	OT11W00	292

ACCESSORIES

Description	Std Pack	Cat No	MRP in ₹
LED Foot Light 6M (GST@12%)	5	OL61W06	1379
Indicator Light 1M	20	OA11W00	268
Blank Off Unit 1M	20	OA10W00	55

COVER PLATES WITH GRID FRAMES

Description	Std Pack	Cat No	MRP in ₹
Grid and Face Plate 1M	15	OF11W00	221
Grid and Face Plate 2M	15	OF21W00	221
Grid and Face Plate 3M	10	OF31W00	272
Grid and Face Plate 3M Mini	10	OF32W00	248
Grid and Face Plate 4M	10	OF41W00	279
Grid and Face Plate 6M	10	OF61W00	369
Grid and Face Plate 8M	10	OF81W00	442
Grid and Face Plate 10M 433	5	OF10W03	523
Grid and Face Plate 10M 433 Suitable for entice 8M Box	5	OF10W04	533
Grid and Face Plate 12M	5	OF12W00	625
Grid and Face Plate 16M	5	OF16W00	688
Grid and Face Plate 24M	5	OF24W00	902

MOUNTING BOXES - PLASTIC SURFACE BOXES

Description	Std Pack	Cat No	MRP in ₹
Surface Wall Box 1/2M	20	OW21W00	188
Surface Wall Box 3/4M	12	OW41W00	220
Surface Wall Box 6M	10	OW61W00	263
Surface Wall Box 8M	14	OW81W00	275
Surface Wall Box 10M	10	OW10W00	331
Surface Wall Box 12M	10	OW12W00	361
Surface Wall Box 16M	8	OW16W00	528

STANDALONE RANGE



CB93100PW06
CB93100PW16

CB93300PW06
CB93300PW16



Angle Holder

CB93400LW01

Batten Angle Holder



CB93400LW02



CB93400LW03



CB93400LW04



OA05W06



OA04W13



CB93400AB06
CB93300AB06

PLUG TOP WITH

Description	Std Pack	Cat No	MRP in ₹
Plug Top 6A 3 Pin with ISI	10	CB93100PW06	99
Plug Top 6A 3 Pin with indicator with ISI	10	CB93300PW06	120
Plug Top 16A 3 Pin with ISI	10	CB93100PW16	152
Plug Top 16A 3 Pin with indicator with ISI	10	CB93300PW16	169

LAMP HOLDER

Description	Std Pack	Cat No	MRP in ₹
Jumbo Lamp Holder 2 in 1 Type	24	CB93400LW01	116
Lamp Holder Angular Type	30	CB93400LW02	44
Lamp Holder Batten Type	40	CB93400LW03	42
Jumbo Ceiling Rose	40	CB93400LW04	70

SPIKE GUARDS

Description	Std Pack	Cat No	MRP in ₹
Spike Guard 4-way with Resettable Fuse	1	OA04W13	984
Spike Guard 3-way with Twin USB Charger and Resettable Fuse	1	OA05W06	1684
Spike Guard 4 Way - 1.5 Mtr	1	CB93300AB06	744
Spike Guard 4 Way - 5 Mtr	1	CB93400AB06	1155

MATERIAL DISCONTINUED, AVAILABLE TILL STOCKS LAST

Description	Cat No	MRP in ₹	Description	Cat No	MRP in ₹
entice Dimmer 1000W 2M	CB91102DW10	1467	englaze USB Connector 1M	CB92401TW00	2763
entice Twin RJ 11 1M	CB91201TW11	381	englaze VGA Connector 1M	CB92501TW00	3000
entice RCA Connector 1M	CB91201TW00	3303	englaze Curtain Control Switch 2M 10A	CB92502AW10	791
entice HDMI Connector 1M	CB91301TW00	2702	englaze Shaver socket 4M	CB92104HW10	6588
entice USB Connector 1M	CB91401TW00	2302	englaze Volume controller 2M	CB92702HW00	1493
entice VGA Connector 1M	CB91501TW00	2502	englaze Bell indicator with Reset 1M	CB92801HW00	1572
entice Bell indicator with Reset 1M	CB91801HW00	1395	englaze Call bell station with ind 2M	CB92902HW00	2196
entice Volume Controller 2M	CB91702HW00	1354	englaze Movement Sensor 1M	CB92701AW00	7816
entice Dimmer 1000W 2M - Cha Grey	CB91102DG10	2087	englaze Twin RJ 11, shutters M Grey	CB92201TM11	570
entice Twin RJ 11, 1M - Cha Grey	CB91201TG11	548	englaze RCA connector M Grey	CB92201TM00	4736
entice RCA Connector 1M - Cha Grey	CB91201TG00	4545	englaze HDMI connector M Grey	CB92301TM00	3874
entice HDMI Connector 1M - Cha Grey	CB91301TG00	3717	englaze USB Connector M Grey	CB92401TM00	3301
entice USB Connector 1M - Cha Grey	CB91401TG00	3168	englaze VGA Connector M Grey	CB92501TM00	3588
entice VGA Connector 1M - Cha Grey	CB91501TG00	3443	englaze Shaver socket 4M M Grey	CB92104HM10	8233
entice Volume Controller 2M-Cha Grey	CB91702HG00	1708	englaze Volume controller 2M M Grey	CB92702HM00	1867
entice Bell ind. with Reset 1M-Cha Grey	CB91801HG00	1844	englaze Bell indicator with Reset 1M M Grey	CB92801HM00	1965
englaze 6A/16A 3pin combi Socket with ISI 3M	CB92303CW16	693	englaze Call bell station with ind 2M M Grey	CB92902HM00	2746
englaze Dimmer 1000 W 2M	CB92102DW10	1794	englaze Movement Sensor 1M M Grey	CB92701AM00	9770
englaze Twin RJ 11, with shutters 1M	CB92201TW11	456	ORIS Digital Ding Dong Door Bell	OB31W00	416
englaze RCA connector 1M	CB92201TW00	3962	ORIS Mantras Door Bell	OB32W00	477
englaze HDMI connector 1M	CB92301TW00	3241	ORIS English Melody Door Bell	OB33W00	507



WARRANTY POLICY

- **All products** carry warranty against manufacturing defects due to fault workmanship.
- **All switches**, sockets and accessories carry a warranty of 12 years from the date of manufacturing.
- **Products** with electronic circuits and LED i.e. electronic fan regulators, dimmers, foot light, buzzers, hotel range, USB chargers, bell indicators, sensors, touch switches etc., carry a warranty of 2 years from the date of manufacturing.
- **All colour products** and material plates carry a warranty of 3 years from the date of manufacturing.
- **Warranty** does not apply to case of breakage/tampering with products.
- **The warranty** is subject to the provision of proper usage and proper maintenance and does not cover defects arising out of fire, accident, insufficient maintenance, faulty operations and wilful or accidental damage.
- **Company** shall not be liable for any consequential losses, injuries or damages attributes to defect or failure of it's products.
- **Trippler, Tripbox and Tripbox PLUS range**
all products listed in the price list carry a warranty against manufacturing defects for a period of 18* months from the date of purchase.
- Extended Warranty of 5 years on **Lauritz Knudsen E&A MCBs** and Isolators if mounted inside **Lauritz Knudsen E&A Distribution Boards**.
- **Note:** We are committed to maintaining our product warranty in line with our standard terms for both the Lauritz Knudsen brand and the L&T Switchgear brand. The change in brand will not alter our standard warranty terms or any applicable extended warranty terms. Furthermore, we will ensure that spares and after-sales support remain available throughout the entire product life cycle, regardless of whether the products are under the L&T Switchgear brand or the Lauritz Knudsen Brand

*Proof of purchase to be retained to avail warranty.

Electrical Standard Products (ESP) Offices:

HEAD OFFICE

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, Navi Mumbai, 400 710, Maharashtra,
Tel: 022 6722 6300 | Fax: 022-67051112 | e-mail: CIC@LK-EA.com

BRANCH OFFICES

Lauritz Knudsen Electrical & Automation
C-201, The First Commercial Complex,
B/S Keshavbaug Party Plot, Vastrapur,
Ahmedabad - 380015
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Ground Floor, B-27, Biplab Rashbihari Sarani,
Sector 2A, Bidhan Nagar,
Durgapur - 713212
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Business Communication Centre
2nd Floor, Chiramel Chambers,
Kurisupally Road, Ravipuram,
Kochi - 682 015
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A-25, 1st Floor, Imperia Complex,
Mohan Corporate Industrial Estate,
Near Sarita Vihar Metro Station,
Mathura Road, **New Delhi - 110044**
Phone no: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Wework Central, #36 Infantry Road,
Bengaluru - 560 001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
6th Floor, Exotica Greens, A Block, 191,
R G Baruah Road, Guwahati Central,
Guwahati - 781005
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
2nd Floor, BN3, Salt Lake, Sector-V,
Kolkata - 700091
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A06/A07, Second Floor,
Grand Chandra Complex, Frazer Road
Patna - 800001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A06/A07, Second Floor,
Grand Chandra Complex, Frazer Road
Patna - 800001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Workloop Unit-612, 6th Floor,
Esplanade One, Rasulgarh,
Bhubaneswar, Odisha-751010
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Shri Daneshwari, 1st Floor,
Plot No. 17, 2nd Cross, Near Old Income
Tax Office Road, Vidyanagar,
Hubballi - 580021
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
No.10, Fortuna Towers, 2nd Floor,
Rana Pratap Marg, Near NBRI
Lucknow - 226001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
UrbanWrk, 5th Floor, Sai Radhe,
Raja Bahadur Mill Road, Behind Hotel
Grand Sheraton, Sangamwadi
Pune - 411001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
4th Floor, SCO-54, 55, 56, Sector-17A
Chandigarh - 160017
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
AWFIS Space Solutions, Prestige Phoenix,
4th floor, 1405, Umanagar, Begumpet,
Hyderabad - 500016
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
El Dorado Building, 3rd Floor, 6,
Venkatraman Street, Chinna Chokkikulam
Madurai - 625 002
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Office No. 211 & 212, Pithalia Plaza,
KK Road, Near Fafadih Chowk,
Raipur - 492001, Chhattisgarh,
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation,
The Executive Centre Level 8, Olympia Teknos
Park, 28, SIDCO Industrial Estate, Guindy,
Chennai - 600 032, Tamil Nadu,
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Workie, 214 - 2nd Floor,
Apollo Premier, PU-4, Scheme No. 54,
Vijay Nagar Square, **Indore - 452010**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
TC II, Tower B, PRIMA BAY Gate No. 5,
Saki Vihar Road Powai,
Mumbai - 400072
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
10th Floor, Titaanium Business,
Bhimrad Road, Althan
Surat - 395017
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Playworkz Coworking Space
43 & 44, 3rd Cross, Bharathy Colony,
Peelamedu, **Coimbatore - 641004**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Office No. 430, 4th Floor,
Jaipur Electronic Market, Riddhi Siddhi,
Gopalpura Bypass, **Jaipur - 302018**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Unnati Building, 2nd Floor, Automation Campus,
A-600, TTC Industrial Area Shil-Mahape Road,
Mahape, **Navi Mumbai - 400710**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
11th Floor, Block-D, Notus IT Park,
Sarabhai Campus, Bhailal Amin Marg,
Vadodara - 390023
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
3rd Floor, 1&2 Vijay Park,
Main Chakrata Road, Opp. Anandam,
Near Ballapur chowk, **Dehradun - 248001**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
GDR Siddha, Ground Floor, N Road
Bistupur, Opposite St. Mary's Church,
Jamshedpur - 831001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
M1 & M2, Mezzanine Floor,
Himalaya Excellency, Plot No. C-47,
Pratap Nagar Square, **Nagpur - 440022**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Naga Chambers, 3rd Floor, D/No. 12-1-16,
Plot No. 49, Survey No. 1051, Waltair Main Road,
Visakhapatnam - 530002, Andhra Pradesh,
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Product improvement is a continuous process. For the latest information and special application, please contact any of our offices listed here.
Product photographs shown for representative purpose only.

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, Navi Mumbai, 400 710, Maharashtra,
Tel: 022 6722 6300 | Web: www.LK-EA.com

Customer Interaction Center (CIC)
Phone no: 022 6932 7800
Web: www.LK-EA.com | e-mail: CIC@LK-EA.com

Reach Us On:



e-commerce
website



Facebook



Instagram



LinkedIn



Website



Electrical & Automation